



Job Order Contract

Price Proposal Summary - CSI

 Date:
 June 29, 2021

 Contract Number:
 2021-10-G1139-1

 Job Order Number:
 210518-3.00

Job Order Title: Bloomfield HS - Multi-Purpose Field Project

Contractor: Unified Contractor, Inc.

Proposal Value: \$521,579.53

Proposal Name: Bloomfield HS - Multi-Purpose Field Project

Detailed Scope: Bloomfield High School – Multi-Purpose Field Project Scope Letter

Below is a description of the work as interpreted from the drawings and from discussions at the site visit. Demolition:

The asphalt on the west side of the new Multi-Purpose Field Project will need to be removed for the construction of the new concrete curb and gutter. A full depth saw cut will be made as shown on the drawings. The layout will be provided by UCI surveyor subcontractor. Additionally, the slab of concrete on the south end will be removed as shown on the drawings.

New Construction Underground Utilities

French Drain

Prior to any new structure work, the underground utilities will be installed. Per the drawings, UCI will connect to the flange at the north end of the project and extend the drain line south and daylight the line on a rip rap pad. To complete this work a trench will be excavated to surveyed elevations. The trench will be lined with geotextile fabric and backfilled with #5 stone aggregate to 6" below finish grade and topped with existing onsite soils. The drain line will be an 8" perforated pipe per design.

Underground Electric

Per the additional drawing provided at the site walk, underground raceway will be installed for future lighting and scoreboards. A trench will be excavated from the existing power pole on the southeast corner of the new field. The trench will extend west and north as shown on over head photo. UCI electrical sub will install a 2" PVC conduit in the trench and UCI will back fill. This work will be installed between the rock wall and french drain. Within the conduit UCI electrical sub will install 3 EA #6 and 1 EA #10 conductors. Allowance has been made for 90 degree elbows at 4 locations, 3 EA 50 AMP breakers a photocell and time clock. Field Irrigation

The field will need irrigation. UCI will connect at the south end irrigation control valves and extend PVC piping around the perimeter of the field. Sprinkler heads will be installed for proper coverage of the field as required. Controls are assumed to be in place. Water capacity is assumed to be available for the irrigation system.

Structures

Concrete Retaining Wall

Utilizing the surveyor layout, the footing for the retaining wall will be excavated and the grade for the wall footer will be established. That grade will be compacted at 6" below bottom of footer. On that compacted grade 6" of base course will be place, processed and compacted. Once compacted, forms will be set for the footer and rebar will be installed. Then concrete will be placed for the footer. After the footer has been placed, the rebar for the wall will be installed. Next wall forms will be set and concrete placement will commence. After the concrete has met the designed strength, the wall will be backfilled to top of wall. The face of the wall exposed to the field will be finished with a concrete rub. Behind the wall a 2" diameter sch. 40 two rail pipe railing will be installed. This

2

railing will run from the west end to the stairs and resume again after the stairs and end at the Rockwood/retaining wall intersection. This railing will be painted.

Price Proposal Summary - CSI Page 1 of 3

Price Proposal Summary - CSI Continues..

Job Order Number: 210518-3.00

Job Order Title: Bloomfield HS - Multi-Purpose Field Project

Information for the stairs were not provided in the drawings. UCI assumes the stairs to be cast in place reinforced concrete and 2 steps in height.

Testing for this operation will include:

- · Mix design review
- · Soils proctors
- · Subgrade compaction testing
- · Base course compaction
- · Concrete sampling for air, temp, and cylinders
- · Concrete strength testing 3 day, 7 day, & Day; 28 day

Rockwood Wall

The drawings detail a Rockwood wall be constructed on the east side of the field. Elevation and line for the wall will be established by a UCI surveyor subcontractor. Once established the grade for the wall foundation will be rough graded and compacted. The elevation of the rough grade will be 6" below bottom of wall. Next a lift of base course will be placed, processed, and compacted. From that grade stacking of the Rockwood wall will commence. As the wall is constructed a 4" perforated drain pipe will be installed and backfilled with #5 gravel as shown on the drawings. Behind the wall native soils will be used to backfill to top of wall. Testing for this operation will include:

- · Soils proctors
- · Subgrade compaction testing
- · Base course compaction

Multi-Purpose Field Project

Based on the elevations provided in the drawings UCI will be required to import fill material for the project. This material will be processed and placed in lifts and compacted. The fill material will be up to 6" below finish grade. On that grade. UCI proposes to install Bermuda sod. Once installed the sod will be watered utilizing the new irrigation system.

Testing for this operation will include:

- · Soils proctors
- · Subgrade compaction testing

Exterior Improvements

Curb and gutter & amp; asphalt patch

The drawings call for curb and gutter but do not state a type. UCI assumes a 6"x12" cast in place concrete curb be installed. This curb will be placed on a 6" base course base that has been compacted. Once completed the forms will be removed and the grade between the new curb and existing asphalt will be graded and compacted to 8.5" below grade. A 6" lift of basecourse will be placed, processed and compacted. On that compacted basecourse 2.5" of asphalt will be set in place and compacted.

Testing for this operation will include:

- · Mix design review
- · Soils proctors
- · Subgrade compaction testing
- Base course compaction
- Asphalt compaction
- · Concrete sampling for air, temp, and cylinders
- · Concrete strength testing 3 day, 7 day, & Day; 28 day

Inclusions:

- 1. Testing
- 2. Licensed electrician and plumbers
- 3. Survey

Exclusions:

- 1. Gates and fencing. Client stated this was already taken care of
- 2. Relocation of existing utilities
- 3. Soccer field markings or goal posts

Price Proposal Summary - CSI Page 2 of 3

Price Proposal Summary - CSI Continues..

Job Order Number: 210518-3.00

Job Order Title: Bloomfield HS - Multi-Purpose Field Project

4. Scoreboard or lighting

5. Submission of drawings for permitting

6. Drawing errors

7. Hazardous waste disposal and/or testing not included

8. Work can be conducted during normal working hours

9. No items specified to be salvaged10. Painting of concrete retaining wall

11. Upgrade of utilities for new work

12. Code violations

13. Unforeseen conditions

14. Charges for water use

15. Holiday work

16. Items not listed in scope letter

Category - 01 - General Requirements:	\$89,426.73
Category - 02 - Site Work:	\$2,909.33
Category - 03 - Concrete:	\$76,079.23
Category - 05 - Metals:	\$10,436.30
Category - 09 - Finishes:	\$421.03
Category - 26 - Electrical:	\$8,348.54
Category - 31 - Earthwork:	\$109,025.76
Category - 32 - Exterior Improvements:	\$205,146.08
Category - 33 - Utilities:	\$19,786.53
Proposal Total	\$521,579.53

This proposal total represents the correct total for the proposal. Any discrepancy between line totals, sub-totals and the proposal total is due to rounding of the line totals and sub-totals.

The Percent of NPP on this Proposal: 0.00%

Price Proposal Summary - CSI Page 3 of 3

Job Order Contract

Price Proposal Detail - CSI

Date: June 29, 2021

 Contract Number:
 2021-10-G1139-1

 Job Order Number:
 210518-3.00

Job Order Title: Bloomfield HS - Multi-Purpose Field Project

Contractor: Unified Contractor, Inc.

Proposal Value: \$521,579.53

Proposal Name: Bloomfield HS - Multi-Purpose Field Project

Adjustment Factor(s) Used: 1.0000-No Adjustment, 1.4742-NWH Requiring State Wage Rates (Outside Tribal Land)

Rec#	CSIN	lumbe	er	Mod.	UOM	Description			Line Total
CSI -	01 - 0	ene	ral Req	uirements					
1	01 22	2 16	00 0004		EA	New Mexico Gross Receipts Tax – Varies	by County		\$40,028.90
						Quantity Unit P		Factor	Total
					Installation	,	.00 x	1.0000 =	\$40,028.90
2	01.2	2 20	00 0045	User Note:	Tax Rate 8	Senior Surveyor (Party Chief)			\$2,823.39
2	01 22	2 20	00 0043				riaa	Costor	
					Installation	Quantity Unit P 48.00 _X \$39	nce).90 _X	Factor 1.4742 =	Total \$2,823.39
				User Note:	The project	ill require the services of a survey team f	or staking of	the new walls for alignment an	d finish
						dditionally the survey team will be require	•	,	
						ons (blue top) of the soccer field. UCI es	timates 6 - 8	hour days for the surveyor ons	
3	01 22	2 20	00 0046		HR	Surveyor (Instrument person)			\$2,354.95
					Installation	Quantity Unit P 48.00 x \$33	rice 3.28 x	Factor 1.4742 =	Total \$2,354.95
				User Note:		ill require the services of a survey team f			
				0001 11010.		dditionally the survey team will be require	Ü	· ·	
					grade eleva	ons (blue top) of the soccer field. UCI es	timates 6 - 8	hour days for the surveyor ons	ite.
4	01 22	2 20	00 0047		HR	Surveyor (Rod person)			\$1,679.88
					Installation	Quantity Unit P		Factor	Total \$1,679.88
				User Note:		48.00 _X \$23	3.74 x	1.4742 =	
				oser note.		dditionally the survey team will be require	•	· ·	
					grade eleva	ons (blue top) of the soccer field. UCI es	timates 6 - 8	hour days for the surveyor ons	ite.
5	01 4	5 23	00 0012		EA	Proctor Compaction 6" Standard Mold, Fi	eld Soils Tes	t	\$35,113.97
						Quantity Unit P		Factor	Total
					Installation	100.00 _X \$238	~	1.4742 =	\$35,113.97
				User Note:		nird party sub to perform compaction test		nd for the soccer field fill mater	
6	01 4	5 23	00 0056		EA	Prepare 6 x 12 Concrete Cylinder And De			\$431.20
					Installation	Quantity Unit P 30.00 _X \$9	rice).75 _X	Factor 1.4742 =	Total \$431.20
				User Note:		nird party sub to take the sampled concre			·
				0001 11010.		d testing for strength to meet the require			ii bo takon
7	01 4	5 23	00 0057		EA	6 x 12 Cylinder Concrete Compression Te	est, ASTM C-	39 Or ASTM D1633	\$1,785.40
						Quantity Unit P	rice	Factor	Total
					Installation	30.00 _x \$40		1.4742 =	\$1,785.40
				User Note:		ocess of testing the cylinders. No field ed	quipment pro	posed.	
8	01 4	5 23	00 0061		EA	Concrete Mix Design Review			\$1,067.84
					Installation	Quantity Unit P 3.00 x \$241	4-	Factor 1.4742 =	Total \$1,067.84
				User Note:		3.00 x \$241 ncrete mix design review. It is not equipn		1.7/74	ų .,ooi .o i
				Jaci Note.	11110 10 101 (.s. s.c acoign review. It is not equipm			

Price Proposal Detail - CSI Page 1 of 7

Job Order Number: 210518-3.00

Bloomfield HS - Multi-Purpose Field Project Job Order Title:

Rec#	CSI Number	Mod.	UOM	Description					Line Total
CSI -	· 01 - General Re	quirements							
9	01 45 23 00 000	65	EA	Concrete Slump Te	st, ASTM	C143			\$468.35
			Installation	Quantity 10.00	х	Unit Price \$31.77	х	Factor 1.4742 =	Total \$468.35
		User Note:	This is a co	ncrete test taken for e	every con	crete placement,	testing fo	or consistency in the mix.	
10	01 45 23 00 000	66	EA	Concrete Air Conte	nt Test, As	STM C138, ASTM	1 C173, (Or ASTM C231	\$468.35
			Installation	Quantity 10.00	x	Unit Price \$31.77	х	Factor 1.4742 =	Total \$468.35
		User Note:	This test is	to verify that the mate	erial meet	s the requirement	of the m	nix design.	
11	01 71 13 00 000	03	EA	Trailer With Up To 5 equipment, off load transporting away. I hydraulic excavator construction loaders construction forklifts	53' BedInding on site For equipos, gradalles, tractors s, telescop	cludes loading, tie e, rigging, disman ment such as bull s, road graders, lo s, pavers, rollers, t ping boom rough	-down of tling, loa dozers, i bader-ba bridge fir terrain co	motor scrapers, ickhoes, heavy duty hishers, straight mast onstruction forklifts,	\$3,204.50
				telescoping and arti Quantity	culating b	ooom man lifts wit Unit Price	h >40' bo	oom lengths, etc. Factor	 Total
			Installation		x	\$543.43	х	1.4742 =	\$3,204.50
		User Note:	` '	e, (2) Motor Grader, (Self propelled Power I	,	12 Ton, Single Sm	ooth Dru	um, Ride-On Self-Propelled Vi	bratory
Subt	otal for CSI - 01 -	General Re	auirement	te.					\$89,426.73
	02 - Site Work	Contorui ita	quironioni						\$50,420.70
12	02 41 13 13 002	20	SY	>3" To 6" By Machin	ne. Break	-up And Remove	Bitumino	ous Paving	\$1,270.24
12				Quantity		Unit Price		Factor	Total
			Installation	•	x	\$9.07	x	1.4742 =	\$1,270.24
13	02 41 13 13 002	26	SY	>3" To 6" By Machin	ne, Break	-up And Remove	Non Rei	nforced Concrete Paving	\$1,179.36
				Quantity		Unit Price		Factor	Total
			Installation	80.00	Х	\$10.00	Х	1.4742 =	\$1,179.36
14	02 41 19 13 00	58	LF	Bituminous Paving	Up To 4" I	Depth, Saw Cut			\$506.17
			Installation	Quantity 315.00		Unit Price		Factor 1.4742 =	Total \$506.17
45	00 44 40 40 00	-0 Mad			х	\$1.09	Х	1.4742 -	
15	02 41 19 13 00	58 <u>Mod</u>	LF	For >250, Deduct					-\$46.44
			Installation	Quantity 315.00	x	Unit Price \$-0.10	х	Factor 1.4742 =	Total \$-46.44
		User Note:							
Subt	otal for CSI - 02 -	Site Work							\$2,909.33
	03 - Concrete	OILC WOIK.							Ψ2,303.00
16	03 11 13 00 000	13	SF	Continuous Footing	s Founda	tion Wood Formy	ork.		\$17,347.28
70	00 11 10 00 000	,,,		Quantity		Unit Price		Factor	Total
			Installation	-	х	\$3.89	х	1.4742 =	\$17,347.28
17	03 11 13 00 002	20	SF	Up To 8' High Above	Grade V		ork	_	\$26,708.08
			Installation	Quantity 2,700.00	х	Unit Price \$6.71	х	Factor 1.4742 =	Total \$26,708.08
18	03 21 11 00 009	90	LF	#5, Grade 60, Footi	ngs, Stee	l Reinforcement E	Bar		\$2,130.72
			Installation	Quantity 1,417.00	x	Unit Price \$1.02	х	Factor 1.4742 =	Total \$2,130.72
18	03 21 11 00 009	90	LF	2,700.00 #5, Grade 60, Footi		\$6.71 Il Reinforcement E Unit Price		1.4742 = Factor	

Page 2 of 7 6/29/2021 Price Proposal Detail - CSI

Job Order Number: 210518-3.00

Job Order Title: Bloomfield HS - Multi-Purpose Field Project

Rec#	CSI Number	Mod.	UOM	Description					Line Total
CSI -	- 03 - Concrete								
19	03 21 11 00 0207		LF	#5, Grade 60, Walls,	Steel Re	einforcement Bar			\$3,264.53
			Installation	Quantity 2,407.00	х	Unit Price \$0.92	х	Factor 1.4742 =	Total \$3,264.53
20	03 31 13 00 0018		CY	Direct Chute, Place	3,000 PS	I Concrete Contir	nuous Foo	otings	\$16,815.31
				Quantity		Unit Price		Factor	Total
	•	N	Installation	80.00	X	\$142.58	Х	1.4742 =	\$16,815.31
21	03 31 13 00 0067	Iser Note:	CY	t a modifier for greater 8" Thick, By Direct C			noroto Wo	alle	\$7,942.86
21	05 51 15 00 0007			Quantity	ilute, i ie	Unit Price	ilorete vve	Factor	Total
			Installation	33.00	х	\$163.27	X	1.4742 =	\$7,942.86
22	03 31 13 00 0067	Mod	CY	For >20 To 50, Add					\$298.22
				Quantity		Unit Price		Factor	Total
			Installation	33.00	х	\$6.13	Х	1.4742 =	\$298.22
	U	Iser Note:							
23	03 35 83 00 0002		SF	Burlap Rub With Gro	ut, New	Concrete Wall Fir	nishes		\$1,572.23
			Installation	Quantity		Unit Price		Factor	Total \$1,572.23
			Ilistaliation	1,350.00	Х	\$0.79	Х	1.4742 =	Ψ1,072.20
Subt	otal for CSI - 03 - Co	ncrete:							\$76,079.23
CSI -	- 05 - Metals								
24	05 52 13 00 0012		LF	2" Diameter, Schedu	le 40, Tv	vo Rail, Up To 42"	' High, We	elded Steel Pipe Railing	\$10,420.53
			Installation	Quantity		Unit Price		Factor	Total \$10,420.53
0.5	05 50 40 00 0040	N4 1		140.00	Χ	\$50.49	Х	1.4742 =	
25	05 52 13 00 0012	Mod	LF	For Mounting On Slo	pes, Ado				\$15.77
			Installation	Quantity 10.00	х	Unit Price \$1.07	x	Factor 1.4742 =	Total \$15.77
	U	Iser Note:			^	, -	^		
Subt	otal for CSI - 05 - Me	ıtale:							\$10,436.30
	- 09 - Finishes	tais.							ψ10, 4 30.30
26	09 91 13 00 0369		LF	Paint Hand Rail And	Bracket,	1 Rail, 2 Coats A	lkyd Enar	mel, Brush/Roller Work	\$421.03
				Quantity		Unit Price		Factor	Total
			Installation	280.00	х	\$1.02	х	1.4742 =	\$421.03
Subt	otal for CSI - 09 - Fir	nishes:							\$421.03
	- 26 - Electrical								·
27	26 05 19 16 0024		MLF	#10 AWG, XLP (XHI	HW-2), 60	00 Volt Copper, S	ingle Stra	anded, Power Cable,	\$610.68
				Quantity		Unit Price		Factor	Total
			Installation	0.61	х	\$679.09	Х	1.4742 =	\$610.68
28	26 05 19 16 0026		MLF	#6 AWG, XLP (XHH) Installed In Conduit	W-2), 60	0 Volt Copper, Sir	ngle Strar	nded, Power Cable,	\$3,521.39
			Inotallatic -	Quantity		Unit Price		Factor	Total
			Installation	1.83	X	\$1,305.29	X	1.4742 =	\$3,521.39
	U	Iser Note:	Quantity re	presents 3 EA #6 cable	es in con	uuit totaiing 1,183	ᅡᅡ		

Page 3 of 7 6/29/2021 Price Proposal Detail - CSI

Job Order Number: 210518-3.00

Bloomfield HS - Multi-Purpose Field Project Job Order Title:

Rec#	CSI Number	Mod.	UOM	Description					Line Total
CSI -	26 - Electrical								
29	26 05 33 13 18	02	LF	2" Schedule 40 Polyv	inyl Chlo	oride (PVC) Cond	luit With C	Coupled End, Direct Burial	\$2,481.96
			Installation	Quantity 610.00	x	Unit Price \$2.76	х	Factor 1.4742 =	Total \$2,481.96
30	26 05 33 13 18	15	EA	2" Schedule 40 Polyv	inyl Chlo	oride (PVC) Cond	luit 90 De	gree Elbow, Direct Burial	\$398.18
			Installation	Quantity 10.00	х	Unit Price \$27.01	х	Factor 1.4742 =	Total \$398.18
31	26 09 23 00 01	08	EA	105 To 130 Volt Relay	, Photo	-Cell, Lighting Arr	ester, Re	ceptacle And Bracket	\$579.48
			Installation	Quantity 4.00	х	Unit Price \$98.27	х	Factor 1.4742 =	Total \$579.48
32	26 09 23 00 04	38	EA	Preset Time, Wall Sw TS-400)	itch Mou	unted, Digital Tim	e Light Sv	witch (Watt Stopper	\$102.13
			Installation	Quantity 1.00	x	Unit Price \$69.28	х	Factor 1.4742 =	Total \$102.13
33	26 24 13 00 00	61	EA	15 To 60 Amperes, 12	20 / 240	Volt, MC Branch	Breaker		\$654.72
			Installation	Quantity 3.00	x	Unit Price \$148.04	х	Factor 1.4742 =	Total \$654.72
Subt	otal for CSI - 26	- Electrical:							\$8,348.54
CSI -	· 31 - Earthwork								
34	31 05 13 00 00	07	CY	Common Fill, Native S	3oil/Dirt				\$89,945.88
			Installation	Quantity 2,305.00	x	Unit Price \$26.47	x	Factor 1.4742 =	Total \$89,945.88
35	31 05 13 00 00	07 Mod	CY	For >96, Deduct					-\$14,747.45
			Installation	Quantity 2,305.00	х	Unit Price \$-4.34	х	Factor 1.4742 =	Total \$-14,747.45
		User Note:							
36	31 05 16 00 00	05	CY	#5 Stone Aggregate F	-ill (1/2"	To 1" Clean)			\$13,580.04
			la stallation	Quantity		Unit Price		Factor	Total \$13,580.04
27	24 05 40 00 00	05 Mad	Installation	260.00	Х	\$35.43	Х	1.4742 =	
37	31 05 16 00 00	05 Mod	CY	For >96, Deduct Quantity		Unit Price		Factor	-\$2,177.10 Total
			Installation	260.00	x	\$-5.68	x	1.4742 =	\$-2,177.10
		User Note:							
38	31 23 16 13 00	02	CY	12" Wide or Less, Exc	cavation	for Trenching by	Machine	in Soil	\$3,329.45
			Installation	Quantity 436.00	x	Unit Price \$5.18	х	Factor 1.4742 =	Total \$3,329.45
39	31 23 16 13 00	02 Mod	CY	For >50 To 250, Add					\$835.58
			Installation	Quantity 436.00	x	Unit Price \$1.30	х	Factor 1.4742 =	Total \$835.58
		User Note:							
40	31 23 16 13 00	32	LF	6" Wide, 24" Deep Tre	ench, M		Trenche	r	\$773.37
			Installation	Quantity 610.00	X	Unit Price \$0.86	x	Factor 1.4742 =	Total \$773.37
				Quantity		Unit Price		Factor	

Page 4 of 7 6/29/2021 Price Proposal Detail - CSI

Job Order Number: 210518-3.00

Bloomfield HS - Multi-Purpose Field Project Job Order Title:

Rec#	cs	l Nu	mbe	r	Mod.	UOM	Description					Line Total
CSI -	· 31 ·	- Ea	rth	work								
41	31	23	16	13 0032	Mod	LF	For >500, Deduct					-\$233.81
							Quantity		Unit Price		Factor	Total
						Installation	610.00	Х	\$-0.26	X	1.4742 =	\$-233.81
					User Note:							
42	31	23	16	13 0044		LF	Backfill 6" Wide, 24" [Deep Tr	ench, With Compa	action		\$251.79
						la stallation	Quantity		Unit Price		Factor	Total
						Installation	610.00	Х	\$0.28	Х	1.4742 =	\$251.79
43	31	23	16	13 0044	Mod	LF	For >500, Deduct					-\$71.94
						lood all attace	Quantity		Unit Price		Factor	Total
						Installation	610.00	Х	\$-0.08	X	1.4742 =	\$-71.94
			- 10	10.0010	User Note:		D 15000000000000000000000000000000000000					
44	31	23	16	13 0048		LF	Backfill 8" Wide, 24" [Deep Ir		action		\$244.25
						Installation	Quantity 436.00		Unit Price \$0.38		Factor 1.4742 =	Total \$244.25
								х		X		
45	31	23	16	33 0007		CY			ugh Grading Impo	rted or St	ockpiled Material for Bulk	\$9,548.47
							Excavation by Machin Quantity	ie	Unit Price		Factor	Total
						Installation	2,305.00	х	\$2.81	х	1.4742 =	\$9,548.47
46	31	23	16	33 0007	Mod	CY	For >1,000, Deduct					-\$1,427.17
							Quantity		Unit Price		Factor	Total
						Installation	2,305.00	х	\$-0.42	Х	1.4742 =	\$-1,427.17
					User Note:							
47	31	23	16	36 0017		CY	Backfilling Around Bui	ilding F	oundations And O	ther Stru	ctures By Skid-Steer	\$1,181.90
							Quantity		Unit Price		Factor	Total
						Installation	393.00	Х	\$2.04	Х	1.4742 =	\$1,181.90
48	31	23	16	36 0017	Mod	CY	For >250 To 500, Add					\$179.60
							Quantity		Unit Price		Factor	Total
						Installation	393.00	Х	\$0.31	X	1.4742 =	\$179.60
					User Note:							
49	31	23	16	36 0024		SY	Rough Grading For B	uilding	Foundations And	Other Str	uctures by Machine	\$157.62
							Quantity		Unit Price		Factor	Total
						Installation	198.00	Х	\$0.54	Х	1.4742 =	\$157.62
50	31	24	13	00 0020		LF	Finish Grade For Curl	And G	Gutter			\$277.89
							Quantity		Unit Price		Factor	Total
						Installation	290.00	Х	\$0.65	Х	1.4742 =	\$277.89
51	31	24	13	00 0022		SY	Compaction Of Fill Or		•	, Parking	Areas, Landscaping	\$7,312.03
							And Embankments By Quantity	y Mach	ine Per Lift Unit Price		Factor	Total
						Installation	15,500.00	х	\$0.32	x	1.4742 =	\$7,312.03
52	31	24	13	00 0022	Mod	SY	For >5,000, Deduct					-\$1,142.51
	51	- *		00 0022			Quantity		Unit Price		Factor	Total
						Installation	15,500.00	x	\$-0.05	x	1.4742 =	\$-1,142.51
					User Note:		,		•			

Page 5 of 7 6/29/2021 Price Proposal Detail - CSI

Job Order Number: 210518-3.00

Bloomfield HS - Multi-Purpose Field Project Job Order Title:

Rec#	CSI Number	Mod. UOM	Description	Line Total
CSI -	- 31 - Earthwork			
53	31 32 19 16 0003	SY	3.5 Ounce/SY, 50 Mil, 95 LB Grab Tensile Nonwoven Polypropylene Geotextile Fabric (Carthage Mills FX-35HS)	\$507.77
		Installation	Quantity Unit Price Factor 436.00 x \$0.79 x 1.4742 =	Total \$507.77
54	31 37 13 00 0002	CY	10 To 50 LB Average Pieces Random, Dumped From Truck, Rip Rap	\$700.10
		Installation	Quantity Unit Price Factor 10.00 x \$47.49 x 1.4742 =	Total \$700.10
Subte	otal for CSI - 31 - Earth	work:		\$109,025.76
CSI -	- 32 - Exterior Improven	nents		
55	32 11 16 16 0007	SY	6" Crushed Aggregate Base Course For Roadways And Parking Areas	\$1,061.16
		Installation	Quantity Unit Price Factor 93.00 x \$7.74 x 1.4742 =	Total \$1,061.16
56	32 11 23 16 0006	SF	6" Crushed Aggregate Base Course For Sidewalks	\$2,886.48
		Installation	Quantity Unit Price Factor 1,780.00 x \$1.10 x 1.4742 =	Total \$2,886.48
57	32 11 23 16 0006	Mod SF	For >1,000 To 2,500, Add	\$288.65
		Installation	Quantity Unit Price Factor 1,780.00 X \$0.11 X 1.4742 =	Total \$288.65
		Note:		
58	32 12 16 13 0008	SY 	3-1/2" Thick Bituminous Hot Mix Binder CourseIncludes placement, rolling, finishing and sweeping.	\$2,459.58
		Installation	Quantity Unit Price Factor $93.00 \times $17.94 \times 1.4742 =$	Total \$2,459.58
59	32 16 13 13 0002	LF	6" x 12" Cast In Place Concrete Curb	\$3,984.47
		Installation	Quantity Unit Price Factor 290.00 x \$9.32 x 1.4742 =	Total \$3,984.47
60	32 16 13 13 0002	Mod LF	For >50 To 100, Add	\$487.37
		Installation	Quantity Unit Price Factor 290.00 x \$1.14 x 1.4742 =	Total \$487.37
61	32 32 23 13 0014	Note: SF	4 To 8' Height "Keystone" Type Modular Retaining Wall System	\$68,325.19
		Installation	Quantity Unit Price Factor 1,035.00 x \$44.78 x 1.4742 =	Total \$68,325.19
62	32 84 23 00 0040	EA	3/4" Inlet, Up To 51' Spacing, Riser Mounted, Brass/Bronze Body, Impact-Drive Sprinkler Head (Rain Bird® 35A-ADJ-TNTB)	\$2,638.94
		Installation	Quantity Unit Price Factor 32.00 x \$55.94 x 1.4742 =	Total \$2,638.94
63	32 84 23 00 0072	EA	2", 5 To 200 GPM, Brass, Contamination Proof, Electric Remote Control Irrigation Valve (Rain Bird® 200EFB-CP)	\$1,781.84
		Installation	Quantity Unit Price Factor 4.00 x \$302.17 x 1.4742 =	Total \$1,781.84
64	32 84 23 00 0104	EA	40.3" x 27.1" x 18" Depth, Rectangular Irrigation Valve Box With Lock (Rain Bird® VB-MAXH)	\$1,267.16
		Installation	Quantity Unit Price Factor 2.00 x \$429.78 x 1.4742 =	Total \$1,267.16

Page 6 of 7 6/29/2021 Price Proposal Detail - CSI

Job Order Number: 210518-3.00

Job Order Title: Bloomfield HS - Multi-Purpose Field Project

Rec#	CSI Number	Mod. UOM	Description	Line Total
CSI -	· 32 - Exterior Improv	ements		
65	32 84 23 00 0198	\$11,339.90		
		Installation	Quantity Unit Price Factor 4.00 x \$1,923.06 x 1.4742 =	Total \$11,339.90
66	32 84 23 00 0248	LF	2" Schedule 40 Polyvinyl Chloride (PVC) Pipe With Fittings	\$14,030.70
		Installation	Quantity Unit Price Factor 2,250.00 x \$4.23 x 1.4742 =	Total \$14,030.70
67	32 84 23 00 0248	Mod LF	For >1,000, Deduct	-\$696.56
		Installation	Quantity Unit Price Factor 2,250.00 x \$-0.21 x 1.4742 =	Total \$-696.56
		er Note:		
68	32 84 23 00 0257	LF ————	3" Schedule 80 Polyvinyl Chloride (PVC) Pipe With Fittings	\$2,744.96
		Installation	Quantity Unit Price Factor 200.00 x \$9.31 x 1.4742 =	Total \$2,744.96
69	32 92 23 00 0005	MSF	>8,000 SF, Bermuda Sod, Installed On Level Ground	\$92,546.24
		Installation	Quantity Unit Price Factor 69.50 x \$903.27 x 1.4742 =	Total \$92,546.24
Subto	otal for CSI - 32 - Exte	erior Improvemen	s:	\$205,146.08
CSI -	· 33 - Utilities			
70	33 01 40 00 0003	LF	8.625" Outside Diameter High Density Polyethylene (HDPE) Culvert Liner DI 32.5	R \$17,919.90
			Quantity Unit Price Factor	Total
		Installation	436.00 _X \$27.88 _X 1.4742 =	\$17,919.90
71	33 41 16 13 0043	LF ————	4" Perforated Polyvinyl Chloride (PVC) Drainage Piping	\$1,667.32
		Installation	Quantity Unit Price Factor 260.00 x \$4.35 x 1.4742 =	Total \$1,667.32
72	33 41 16 13 0078	LF	4" Geotextile Filter Fabric Sock	\$199.31
		Installation	Quantity Unit Price Factor 260.00 x \$0.52 x 1.4742 =	Total \$199.31
Subto	otal for CSI - 33 - Util	ities:		\$19,786.53
Dron	osal Total			\$521,579.53

This proposal total represents the correct total for the proposal. Any discrepancy between line totals, sub-totals and the proposal total is due to rounding of the line totals and sub-totals.

The Percent of NPP on this Proposal: 0.00%

Price Proposal Detail - CSI
Page 7 of 7